



Customer: Dr Cass  
 Customer Sample ID: 3000mg Isolate Night  
 Laboratory Number: 20K0424-05



## Cannabinoid Profile

Extraction Technician: DF  
 Analytical Chemist: SH

Extraction Date(s)	Analysis Date(s)
11/20/2023	11/21/2023

Cannabinoids (HPLC)		Results	
	LOD (mg/g)	%	mg/g
Cannabidiarin (CBDV)	<0.30		
Cannabidiolic Acid (CBD-A)	<0.30		
Cannabigerolic Acid (CBG-A)	<0.30		
Cannabigerol (CBG)	<0.30		
Cannabidiol (CBD)		10.36	104
Tetrahydrocannabivarin (THCV)	<0.30		
Cannabinol (CBN)	<0.30		
delta 9-Tetrahydrocannabinol (THC)	<0.30		
delta 8-Tetrahydrocannabidol	<0.30		
Cannabichromene (CBC)	<0.30		
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.30		
Cannabinoids Total		%	mg/g
Max Active THC		0.00	0.00
Max Active CBD		10.40	104.00
T.Active Cannabinoids		10.40	104.00
Total Cannabinoids		10.40	104.00

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

### Cannabinoid (mg/g)



<span style="color: blue;">■</span> Cannabichromene (CBC)	<span style="color: orange;">■</span> Cannabidiol (CBD)	<span style="color: green;">■</span> Cannabidiolic Acid (CBD-A)	<span style="color: red;">■</span> Cannabidiarin (CBDV)	<span style="color: purple;">■</span> Cannabigerol (CBG)
<span style="color: yellow;">■</span> Cannabigerolic Acid (CBG-A)	<span style="color: teal;">■</span> Cannabinol (CBN)	<span style="color: brown;">■</span> delta 8-Tetrahydrocannabidol	<span style="color: darkgreen;">■</span> delta 9-Tetrahydrocannabinol (THC)	<span style="color: pink;">■</span> delta-9-Tetrahydrocannabinolic Acid (THC-A)
<span style="color: purple;">■</span> Tetrahydrocannabivarin (THCV)				

Reporting Limits will vary based on sample extraction weight used for the analysis.

Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.